


The high performance ProTac® 2.0 produces 2,000 lumens without sacrificing run time. Powered by the new SL-B50® battery pack that charges inside or outside of the light using a USB-C cord.



SL-B50® protected Li-Ion USB-rechargeable battery with on-board safety control. Recharges in 6 hours.



TEN-TAP® Programming: Choice of three operating modes: 1.) high/strobe/low; 2.) high only; 3.) low/medium/high	Durable anodized machined aircraft aluminum construction IP67; dust-tight and waterproof to 1m for 30 minutes; 2m impact resistance tested
<ul style="list-style-type: none"> - High: 2,000 lumens; 262m beam; runs 2.5 hours - Medium: 570 lumens; 142m beam; runs 4.5 hours - Low: 100 lumens; 60m beam; runs 25 hours - Strobe run time: runs 4 hours, 25 minutes Regulated power output provides consistent performance	6.10" (155mm); 8.25 oz (234g) Limited Lifetime Warranty Visit streamlight.com for full warranty information
Anti-roll face cap; serialized for positive identification	#89000 - ProTac 2.0 - SL-B50® battery pack, USB-C cord & nylon holster - Box



PROTAC® 2.0 RAIL MOUNT HIGH-LUMEN TACTICAL WEAPON-MOUNTED FLASHLIGHT



Material/Lens 6000 Series machined aircraft aluminum with anodized finish. Glass lens with anti-reflective coating; gasket-sealed

Dims/Weight Length: 6.3 in. (160mm); Head Diameter: 1.46 in. (37 mm); Body Diameter: 1.02 in. (26 mm)
9.06 oz (257 grams) with (1) Streamlight SL-B50® protected Li-Ion USB-C rechargeable battery (included in purchase)

Light Source White LED, impervious to shock with a 50,000 hour lifetime

- Output/ Runtime**
- High for maximum illumination: 2,000 lumens; 17,700 candela; 266m beam; runs 2.5 hours
 - Low for extended run time: 250 lumens; 2,150 candela; 93m beam; runs 11 hours
 - Strobe for signaling or disorienting: runs 4.5 hours

Switch Multi-function, push-button tactical tail switch or remote momentary pressure switch. One handed operation of momentary, variable intensity or strobe mode. Ten-Tap® Programmable switch allows user selection of one of three different programs: 1.) high/strobe; 2.) high only; 3.) low/high







Battery One Streamlight SL-B50® protected Li-Ion USB-rechargeable battery pack with on-board safety control, 4,900mAh. Recharges in 6 hours

- Features**
- Mounts directly to guns with MIL-STD-1913 (Picatinny) rails and M-LOK compatible rail systems
 - Securely fits a broad range of weapons
 - 2-meter impact resistance tested
 - All openings O-ring sealed
 - IP67 rated; dust-tight and waterproof to 1 meter for 30 minutes
 - Extensively live-fire tested, impact-resistant construction
 - Serialized for positive identification

Approvals Meets applicable United Kingdom and European Community Directives.

Warranty Streamlight warrants this product to be free of defects for a lifetime of use except for batteries and bulbs, abuse and normal wear. We will repair, replace or refund the purchase price of this product should we determine it to be defective. This limited lifetime warranty also excludes rechargeable batteries, chargers, switches and electronics which have a 2 year warranty with proof of purchase. THIS IS THE ONLY WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES ARE EXPRESSLY DISCLAIMED EXCEPT WHERE SUCH LIMITATION IS PROHIBITED BY LAW. You may have other specific legal rights which vary by jurisdiction. Visit streamlight.com for full warranty information.

Item	UPC	Part #
ProTac 2.0 Rail Mount - Light Only - Includes USB-C Cord, M-LOK® Mount and SL-B50 Battery Pack	080926-89003-9	89003
ProTac 2.0 Rail Mount - with Straight Momentary Pressure Switch, mounting hardware, M-LOK® Mount, USB-C Cord and SL-B50 Battery Pack	080926-89009-1	89009

	Item	UPC	Part #
	SL-B50 Battery Pack - 1 Pack	080926-22111-6	22111
	SL-B50 Battery Pack - 2 Pack	080926-22112-3	22112
	22" USB-C cord	080926-22084-3	22084
	M-LOK® Mount	080926-88300-0	88300
	Straight Momentary Pressure Switch	080926-69135-3	69135
	Straight Latching Remote Switch	080926-89008-4	89008

M-LOK® is a registered trademark of Magpul Industries Corp. All rights reserved.